



<b>3-POINT SEATBELTS FOR ALL SEATING POSITIONS</b>	STD	STD	STD	STD	STD	STD	STD
<b>HEIGHT ADJUSTABLE FRONT SEATBELTS</b>	STD	STD	STD	STD	STD	STD	STD
<b>FRONT SEATBELT PRETENSIONERS WITH FORCE LIMITERS</b>	STD	STD	STD	STD	STD	STD	STD
<b>HEIGHT ADJUSTABLE FRONT HEAD RESTRAINTS</b>	STD	STD	STD	STD	STD	STD	STD
<b>RISE BODY CONSTRUCTION</b>	STD	STD	STD	STD	STD	STD	STD
<b>REAR CENTRE HIGH MOUNT STOP LAMP</b>	STD	STD	STD	STD	STD	STD	STD
<b>LED DAYTIME RUNNING LAMPS</b>	STD	STD	STD	STD	STD	STD	STD
<b>TIRE PRESSURE MONITORING SYSTEM (TPMS)</b>	STD	STD	STD	STD	STD	STD	STD
<b>HILL START ASSIST</b>	STD	STD	STD	STD	STD	STD	STD
<b>LANE DEPARTURE WARNING (LDW)</b>	-	-	-	-	-	-	STD
<b>FORWARD COLLISION MITIGATION (FCM)</b>	-	-	-	-	-	-	STD
<b>BLIND SPOT WARNING (BSW)</b>	-	-	STD	STD	STD	STD	STD
<b>REAR CROSS TRAFFIC ALERT (RCTA)</b>	-	-	STD	STD	STD	STD	STD
<b>WHEEL LOCKS (FOR ALLOY WHEELS ONLY)</b>	-	-	ACC	ACC	ACC	ACC	ACC

## PERFORMANCE

<b>2.0 L DOHC MIVEC 4 CYLINDER ENGINE</b>	STD	STD	STD	-	-	-	-
---	-----	-----	-----	---	---	---	---



<b>FRONT AND REAR BLACK SKID PLATE STYLING</b>	STD	STD	STD	STD	STD	STD	STD
<b>BLACK AND SILVER GRILLE</b>	STD	STD	STD	STD	STD	-	-
<b>GLOSS BLACK AND SATIN CHROME GRILLE</b>	-	-	-	-	-	-	STD
<b>BLACK GRILLE</b>	-	-	-	-	-	STD	-
<b>BLACK WHEEL ARCH MOULDINGS</b>	STD	STD	STD	STD	STD	STD	STD
<b>AUTO-OFF LED HEADLAMPS</b>	STD	STD	STD	STD	STD	STD	-
<b>AUTO-ON AND OFF LED HEADLAMPS</b>	-	-	-	-	-	-	STD
<b>AUTO LED HIGH BEAMS</b>	-	-	-	-	-	-	STD
<b>LED FRONT FOG LAMPS</b>	-	-	STD	STD	STD	STD	STD
<b>HEATED POWER SIDE-VIEW MIRRORS</b>	STD	STD	-	-	-	-	-
<b>HEATED POWER SIDE-VIEW MIRRORS WITH INTEGRATED TURN SIGNAL LAMP</b>	-	-	STD	STD	STD	STD	-
<b>HEATED AND POWER-FOLDING SIDE-VIEW MIRRORS WITH INTEGRATED TURN SIGNAL LAMP</b>	-	-	-	-	-	-	STD
<b>BODY-COLOUR SIDE-VIEW MIRRORS AND DOOR HANDLES</b>	STD	STD	STD	STD	STD	-	STD
<b>BLACK SIDE-VIEW MIRRORS AND BODY-COLOUR DOOR HANDLES</b>	-	-	-	-	-	STD	-
<b>CHROME BELTLINE ACCENT</b>	-	-	-	-	-	-	STD
<b>BLACK FENDER GARNISH</b>	STD	STD	-	-	-	-	-

<b>CHROME FENDER GARNISH</b>	-	-	STD	STD	STD	STD	STD
<b>SIDE MARKER LAMPS</b>	STD	STD	-	-	-	-	-
<b>VARIABLE INTERMITTENT WINDSHIELD WIPERS AND WASHER</b>	STD	STD	STD	STD	STD	STD	STD
<b>ROOF MOUNT ANTENNA (SHARK FIN TYPE)</b>	STD	STD	STD	STD	STD	STD	STD
<b>BLACK ROOF RAILS</b>	-	-	-	-	STD	STD	STD
<b>PANORAMIC FIXED GLASS SUNROOF WITH SUNSHADE AND LED LIGHTING</b>	-	-	-	-	-	-	STD
<b>REAR WINDOW DEFROSTER WITH TIMER, INTERMITTENT WIPER AND WASHER</b>	STD	STD	STD	STD	STD	STD	STD
<b>REAR PRIVACY GLASS</b>	-	-	STD	STD	STD	STD	STD
<b>LED REAR COMBINATION LAMPS</b>	STD	STD	STD	STD	STD	STD	STD
<b>REAR SPOILER</b>	STD	STD	STD	STD	STD	-	STD
<b>LARGE REAR SPOILER</b>	-	-	-	-	-	STD	-
<b>"LIMITED EDITION" BADGE</b>	-	-	-	-	-	STD	-
<b>BODY SIDE MOULDINGS</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>SIDE MIRROR COVERS (CHROME)</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>SIDE WINDOW DEFLECTORS</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>ENGINE BLOCK HEATER</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>DOOR HANDLE COVERS, CHROME</b>	ACC	ACC	ACC	ACC	-	-	-





<b>RETRACTABLE ASSIST GRIPS (4)</b>	STD	STD	STD	STD	STD	STD	STD
<b>ALUMINUM PEDALS</b>	-	-	-	-	-	STD	-
<b>12V ACCESSORY OUTLET (2)</b>	STD	STD	STD	STD	STD	STD	STD
<b>USB INPUT (X2)</b>	STD	STD	STD	STD	STD	STD	STD
<b>FLOOR CENTRE CONSOLE WITH LEATHERETTE ARMREST AND CUP HOLDERS</b>	STD	STD	STD	STD	STD	-	STD
<b>FLOOR CENTRE CONSOLE WITH LEATHERETTE ARMREST AND CUP HOLDERS WITH RED STITCHING</b>	-	-	-	-	-	STD	-
<b>REAR CENTRE ARMREST WITH CUP HOLDERS</b>	STD	STD	STD	STD	STD	STD	STD
<b>DOOR TRIM POCKET WITH INTEGRATED BOTTLE HOLDERS (2)</b>	STD	STD	STD	STD	STD	STD	STD
<b>CARGO TIE-DOWN UTILITY HOOKS (X4)</b>	STD	STD	STD	STD	STD	STD	STD
<b>CARGO COVER</b>	-	-	-	-	-	-	STD
<b>REAR CARGO COMPARTMENTS</b>	STD	STD	STD	STD	STD	STD	STD
<b>GLOVE BOX WITH ILLUMINATION</b>	STD	STD	STD	STD	STD	STD	STD
<b>LEATHER-WRAPPED STEERING WHEEL</b>	STD	STD	STD	STD	STD	-	STD
<b>LEATHER-WRAPPED GEAR SHIFT KNOB</b>	STD	STD	STD	STD	STD	-	STD
<b>LEATHER-WRAPPED STEERING WHEEL AND GEAR SHIFT KNOB WITH RED STITCHING</b>	-	-	-	-	-	STD	-









REMOTE ENGINE START (EXCLUDES 5MT)	ACC	ACC	ACC	ACC	ACC	ACC	ACC
REMOTE ENGINE START, FOB, REPLACEMENT ONLY	ACC	ACC	ACC	ACC	ACC	ACC	ACC

### EXTERIOR COLOURS

OAK BROWN	-	STD	STD	STD	STD	-	STD
SUNSHINE ORANGE	-	STD	STD	STD	STD	-	STD
TITANIUM GREY	-	STD	STD	STD	STD	STD	STD
STERLING SILVER	STD	STD	STD	STD	STD	-	STD
OCTANE BLUE	-	OPT	OPT	OPT	OPT	-	OPT
RED DIAMOND	-	OPT	OPT	OPT	OPT	OPT	OPT
PEARL WHITE	OPT	OPT	OPT	OPT	OPT	OPT	OPT
LABRADOR BLACK	-	OPT	OPT	OPT	OPT	OPT	OPT

### INTERIOR COLOURS

BLACK FABRIC	STD	STD	STD	STD	-	-	-
BLACK ARTIFICIAL SUEDE	-	-	-	-	STD	STD	-
BLACK LEATHER	-	-	-	-	-	-	STD

### ENGINE

DRIVETRAIN	FWD	AWC	FWD	AWC	AWC	AWC	AWC
ENGINE TYPE	2.0L MIVEC I-4	2.0L MIVEC I-4	2.0L MIVEC I-4	2.4L MIVEC I-4	2.4L MIVEC I-4	2.4L MIVEC I-4	2.4L MIVEC I-4
ENGINE CODE	4B11	4B11	4B11	4B12	4B12	4B12	4B12



<b>2ND</b>	1.440	1.440	1.440	1.440	1.440	1.440	1.440
<b>3RD</b>	1.165	1.165	1.165	1.165	1.165	1.165	1.165
<b>4TH</b>	0.906	0.906	0.906	0.906	0.906	0.906	0.906
<b>5TH</b>	0.680	0.680	0.680	0.680	0.680	0.680	0.680
<b>6TH</b>	0.499	0.499	0.499	0.499	0.499	0.499	0.499
<b>REVERSE</b>	1.960	1.960	1.960	1.960	1.960	1.960	1.960
<b>FINAL DRIVE</b>	6.026	6.026	6.026	6.026	6.026	6.026	6.026

## SUSPENSION

<b>FRONT</b>	MacPherson Strut	MacPherson Strut	MacPherson Strut	MacPherson Strut	MacPherson Strut	MacPherson Strut	MacPherson Strut
<b>FRONT STABILIZER BAR DIAMETER (MM)</b>	22 mm	22 mm	22 mm	22 mm	22 mm	22 mm	22 mm
<b>REAR</b>	Multi-link	Multi-link	Multi-link	Multi-link	Multi-link	Multi-link	Multi-link
<b>REAR STABILIZER BAR DIAMETER (MM)</b>	16 mm	16 mm	16 mm	16 mm	16 mm	16 mm	16 mm

## EXTERIOR DIMENSIONS

<b>WHEELBASE (MM/IN.)</b>	2,670 mm / 105.1 in.	2,670 mm / 105.1 in.	2,670 mm / 105.1 in.	2,670 mm / 105.1 in.	2,670 mm / 105.1 in.	2,670 mm / 105.1 in.	2,670 mm / 105.1 in.
<b>LENGTH (MM/IN.)</b>	4,365 mm / 171.8 in.	4,365 mm / 171.8 in.	4,365 mm / 171.8 in.	4,365 mm / 171.8 in.	4,365 mm / 171.8 in.	4,365 mm / 171.8 in.	4,365 mm / 171.8 in.
<b>WIDTH (MM/IN.)</b>	1,810 mm / 71.3 in.	1,810 mm / 71.3 in.	1,810 mm / 71.3 in.	1,810 mm / 71.3 in.	1,810 mm / 71.3 in.	1,810 mm / 71.3 in.	1,810 mm / 71.3 in.
<b>HEIGHT (MM/IN.)</b>	1,645 mm / 64.8 in.	1,645 mm / 64.8 in.	1,645 mm / 64.8 in.	1,645 mm / 64.8 in.	1,645 mm / 64.8 in.	1,645 mm / 64.8 in.	1,645 mm / 64.8 in.
<b>TRACK, FRONT (MM/IN.)</b>	1,525 mm / 60.0 in.	1,525 mm / 60.0 in.	1,525 mm / 60.0 in.	1,540 mm / 60.6 in.	1,540 mm / 60.6 in.	1,540 mm / 60.6 in.	1,540 mm / 60.6 in.

<b>TRACK, REAR (MM/IN.)</b>	1,525 mm / 60.0 in.	1,525 mm / 60.0 in.	1,525 mm / 60.0 in.	1,540 mm / 60.6 in.	1,540 mm / 60.6 in.	1,540 mm / 60.6 in.	1,540 mm / 60.6 in.
<b>MINIMUM GROUND CLEARANCE (MM/IN.)</b>	215 mm / 8.5 in.	215 mm / 8.5 in.	215 mm / 8.5 in.	215 mm / 8.5 in.	215 mm / 8.5 in.	215 mm / 8.5 in.	215 mm / 8.5 in.

## INTERIOR DIMENSIONS

<b>PASSENGER SEATING CAPACITY</b>	5	5	5	5	5	5	5
<b>INTERIOR VOLUME WITHOUT PANORAMIC/SUBWOOFER (L/CU. FT.)</b>	3,375 L / 119.2 cu. ft.	3,375 L / 119.2 cu. ft.	3,375 L / 119.2 cu. ft.	3,375 L / 119.2 cu. ft.	3,375 L / 119.2 cu. ft.	3,375 L / 119.2 cu. ft.	-
<b>INTERIOR VOLUME WITH PANORAMIC/SUBWOOFER (L/CU. FT.)</b>	-	-	-	-	-	-	3,273 L / 115.6 cu. ft.
<b>INTERIOR VOLUME WITH PANORAMIC/WITHOUT SUBWOOFER (L/CU. FT.)</b>	-	-	-	-	-	-	3,322 L / 117.3 cu. ft.
<b>PASSENGER VOLUME WITHOUT PANORAMIC (L/CU. FT.)</b>	2,761 L / 97.5 cu. ft.	2,761 L / 97.5 cu. ft.	2,761 L / 97.5 cu. ft.	2,761 L / 97.5 cu. ft.	2,761 L / 97.5 cu. ft.	2,761 L / 97.5 cu. ft.	-
<b>PASSENGER VOLUME WITH PANORAMIC (L/CU. FT.)</b>	-	-	-	-	-	-	2,707 L / 95.6 cu. ft.
<b>CARGO AREA (BEHIND FRONT SEAT) WITHOUT PANORAMIC (L/CU. FT.)</b>	1,402 L / 49.5 cu. ft.	1,402 L / 49.5 cu. ft.	1,402 L / 49.5 cu. ft.	1,402 L / 49.5 cu. ft.	1,402 L / 49.5 cu. ft.	1,402 L / 49.5 cu. ft.	-
<b>CARGO AREA (BEHIND FRONT SEAT) WITH PANORAMIC (L/CU. FT.)</b>	-	-	-	-	-	-	1,382 L / 48.8 cu. ft.
<b>CARGO AREA (BEHIND REAR SEAT) WITHOUT SUBWOOFER (L/CU. FT.)</b>	614 L / 21.7 cu. ft.	614 L / 21.7 cu. ft.	614 L / 21.7 cu. ft.	614 L / 21.7 cu. ft.	614 L / 21.7 cu. ft.	614 L / 21.7 cu. ft.	-
<b>CARGO AREA (BEHIND REAR SEAT) WITH SUBWOOFER (L/CU. FT.)</b>	-	-	-	-	-	-	569 L / 20.1 cu. ft.

## PASSENGER SPACE

<b>FRONT HEAD ROOM (MM/IN.)</b>	1,000 mm / 39.4 in.	1,000 mm / 39.4 in.	1,000 mm / 39.4 in.	1,000 mm / 39.4 in.	1,000 mm / 39.4 in.	1,000 mm / 39.4 in.	-
<b>FRONT HEAD ROOM WITH PANORAMIC (MM/IN.)</b>	-	-	-	-	-	-	988 mm / 38.9 in.
<b>FRONT SHOULDER ROOM (MM/IN.)</b>	1,427 mm / 56.2 in.	1,427 mm / 56.2 in.	1,427 mm / 56.2 in.	1,427 mm / 56.2 in.	1,427 mm / 56.2 in.	1,427 mm / 56.2 in.	1,427 mm / 56.2 in.
<b>FRONT HIP ROOM (MM/IN.)</b>	1,324 mm / 52.1 in.	1,324 mm / 52.1 in.	1,324 mm / 52.1 in.	1,324 mm / 52.1 in.	1,324 mm / 52.1 in.	1,324 mm / 52.1 in.	1,324 mm / 52.1 in.
<b>FRONT LEG ROOM (MM/IN.)</b>	1,056 mm / 41.6 in.	1,056 mm / 41.6 in.	1,056 mm / 41.6 in.	1,056 mm / 41.6 in.	1,056 mm / 41.6 in.	1,056 mm / 41.6 in.	1,056 mm / 41.6 in.
<b>REAR HEAD ROOM (MM/IN.)</b>	963 mm / 37.9 in.	963 mm / 37.9 in.	963 mm / 37.9 in.	963 mm / 37.9 in.	963 mm / 37.9 in.	963 mm / 37.9 in.	-
<b>REAR HEAD ROOM WITH PANORAMIC (MM/IN.)</b>	-	-	-	-	-	-	934 mm / 36.8 in.
<b>REAR SHOULDER ROOM (MM/IN.)</b>	1,410 mm / 55.5 in.	1,410 mm / 55.5 in.	1,410 mm / 55.5 in.	1,410 mm / 55.5 in.	1,410 mm / 55.5 in.	1,410 mm / 55.5 in.	1,410 mm / 55.5 in.
<b>REAR HIP ROOM (MM/IN.)</b>	1,310 mm / 51.6 in.	1,310 mm / 51.6 in.	1,310 mm / 51.6 in.	1,310 mm / 51.6 in.	1,310 mm / 51.6 in.	1,310 mm / 51.6 in.	1,310 mm / 51.6 in.
<b>REAR LEG ROOM (MM/IN.)</b>	921 mm / 36.3 in.	921 mm / 36.3 in.	921 mm / 36.3 in.	921 mm / 36.3 in.	921 mm / 36.3 in.	921 mm / 36.3 in.	921 mm / 36.3 in.

## WEIGHTS

<b>DRIVETRAIN</b>	FWD	AWC	FWD	AWC	AWC	AWC	AWC
<b>GVWR (KG/LBS.)</b>	1,970 kg / 4,343 lbs.	1,970 kg / 4,343 lbs.	1,970 kg / 4,343 lbs.	1,970 kg / 4,343 lbs.	1,970 kg / 4,343 lbs.	1,970 kg / 4,343 lbs.	1,970 kg / 4,343 lbs.
<b>CURB WEIGHT (KG/LBS.)</b>	1,415 kg / 3,120 lbs.	1,480 kg / 3,263 lbs.	1,415 kg / 3,120 lbs.	1,495 kg / 3,296 lbs.	1,495 kg / 3,296 lbs.	1,495 kg / 3,296 lbs.	1,495 kg / 3,296 lbs.
<b>WEIGHT DISTRIBUTION (% F/R)</b>	60 / 40	59 / 41	60 / 40	59 / 41	59 / 41	59 / 41	59 / 41

## STEERING





<b>REMOTE START HARNESS KIT + MODULE</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>REMOTE START HARNESS KIT + MODULE</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>REMOTE START 2-WAY ACCESSORY TRANSMITTERS</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>REMOTE START SMART CONTROL WITH LORA BLE</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>REMOTE START TRANSMITTER FOR LORA BLE</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>REMOTE START MYCAR TELEMATICS HARDWARE</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC

#### FUEL CAPACITY

<b>2WD FUEL TANK CAPACITY (L/GAL.)</b>	63 L / 16.6 gal.	63 L / 16.6 gal.	63 L / 16.6 gal.	-	-	-	-
<b>4WD FUEL TANK CAPACITY (L/GAL.)</b>	60 L / 15.8 gal.	60 L / 15.8 gal.	60 L / 15.8 gal.	60 L / 15.8 gal.	60 L / 15.8 gal.	60 L / 15.8 gal.	60 L / 15.8 gal.

#### ESTIMATED FUEL CONSUMPTION

<b>DRIVETRAIN</b>	CVT FWD	CVT AWC	CVT FWD	CVT AWC	CVT AWC	CVT AWC	CVT AWC
<b>CITY (L/100KMS)</b>	9.7	10.1	9.7	10.3	10.3	10.3	10.3
<b>HIGHWAY (L/100KMS)</b>	7.8	8.2	7.8	8.3	8.3	8.3	8.3
<b>COMBINED (L/100KM)</b>	8.8	9.2	8.8	9.4	9.4	9.4	9.4

#### WHEELS & TIRES

<b>WHEEL TYPE</b>	16x6.5J Steel with Cover	16x6.5J Steel with Cover	16x6.5J Aluminum	16x6.5J Aluminum	18x7J Aluminum	18x7J Aluminum	18x7J Aluminum
<b>OFFSET</b>	46 mm	46 mm	46 mm	46 mm	38 mm	38 mm	38 mm

