



HEIGHT ADJUSTABLE FRONT SEATBELTS	STD	STD	STD	STD	STD	STD	STD
FRONT SEATBELT PRETENSIONERS WITH FORCE LIMITERS	STD	STD	STD	STD	STD	STD	STD
HEIGHT ADJUSTABLE HEAD RESTRAINTS (DRIVER AND FRONT PASSENGER)	STD	STD	STD	STD	STD	STD	STD
RISE BODY CONSTRUCTION	STD	STD	STD	STD	STD	STD	STD
LED DAYTIME RUNNING LAMPS AND REAR CENTRE HIGH MOUNT STOP LAMP	STD	STD	STD	STD	STD	STD	STD
TIRE PRESSURE MONITORING SYSTEM (TPMS)	STD	STD	STD	STD	STD	STD	STD
HILL START ASSIST	STD	STD	STD	STD	STD	STD	STD
LANE DEPARTURE WARNING (LDW)	-	-	-	-	-	-	STD
FORWARD COLLISION MITIGATION (FCM) WITH PEDESTRIAN WARNING	-	-	-	-	-	-	STD
ADAPTIVE CRUISE CONTROL (ACC)	-	-	-	-	-	-	STD
BLIND SPOT WARNING (BSW)	-	STD	STD	-	STD	STD	STD
REAR CROSS TRAFFIC ALERT (RCTA)	-	STD	STD	-	STD	STD	STD
WHEEL LOCKS	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>PERFORMANCE</b>							
2.4 L SOHC MIVEC 4 CYLINDER ENGINE (166 HP, TORQUE 162 LB.-FT.)	STD	STD	STD	-	-	-	-
3.0 L SOHC MIVEC 6 CYLINDER ENGINE (224 HP, TORQUE 215 LB.-FT.)	-	-	-	STD	STD	STD	STD

<b>CONTINUOUSLY VARIABLE TRANSMISSION (CVT) WITH 8-SPEED SPORT MODE</b>	STD	STD	STD	-	-	-	-
<b>6-SPEED SPORTTRONIC® AUTOMATIC TRANSMISSION WITH IDLE NEUTRAL LOGIC AND PADDLE SHIFTERS</b>	-	-	-	STD	STD	STD	STD
<b>ALL-WHEEL CONTROL (AWC) WITH DRIVE MODE SELECTOR (4WD ECO/AUTO/LOCK)</b>	STD	STD	STD	STD	STD	STD	-
<b>SUPER ALL-WHEEL CONTROL (S-AWC) WITH DRIVE MODE SELECTOR (AWC ECO/NORMAL/SNOW/LOCK)</b>	-	-	-	-	-	-	STD
<b>FRONT MACPHERSON STRUT AND REAR MULTI-LINK SUSPENSION</b>	STD	STD	STD	STD	STD	STD	STD
<b>FRONT AND REAR STABILIZER BAR</b>	STD	STD	STD	STD	STD	STD	STD
<b>VENTILATED FRONT DISC AND SOLID REAR DISC BRAKES</b>	STD	STD	STD	STD	STD	STD	STD
<b>ELECTRIC PARKING BRAKE</b>	STD	STD	STD	STD	STD	STD	STD
<b>VARIABLE ASSISTED POWER RACK AND PINION STEERING</b>	STD	STD	STD	STD	STD	STD	STD
<b>ACTIVE FRONT DIFFERENTIAL</b>	-	-	-	-	-	-	STD
<b>EXTERIOR</b>							
<b>16" ALLOY WHEELS</b>	STD	-	-	STD	-	-	-
<b>18" ALLOY WHEELS</b>	-	STD	STD	-	STD	-	STD
<b>18" BLACK PAINTED ALLOY WHEELS</b>	-	-	-	-	-	STD	-

<b>P215/70 R16 ALL-SEASON TIRES</b>	STD	-	-	STD	-	-	-
<b>P225/55 R18 ALL-SEASON TIRES</b>	-	STD	STD	-	STD	STD	STD
<b>TIRE REPAIR KIT</b>	STD	STD	STD	STD	STD	STD	STD
<b>FRONT AND REAR BUMPER WITH SILVER PAINTED SKID PLATE STYLING</b>	STD	STD	STD	STD	STD	-	STD
<b>FRONT AND REAR BUMPER WITH MATERIAL BLACK SKID PLATE STYLING</b>	-	-	-	-	-	STD	-
<b>BLACK FRONT GRILLE ACCENTS</b>	-	-	-	-	-	STD	-
<b>BLACK FRONT BUMPER CENTRE</b>	STD	STD	STD	STD	STD	STD	STD
<b>AUTO-OFF HALOGEN HEADLAMPS</b>	STD	STD	STD	STD	STD	-	-
<b>AUTO-ON/OFF HALOGEN HEADLAMPS</b>	-	-	STD	-	STD	-	-
<b>AUTO-ON/OFF LED HEADLAMPS</b>	-	-	-	-	-	STD	STD
<b>AUTO LED HIGH BEAMS</b>	-	-	-	-	-	-	STD
<b>FRONT FOG LAMPS</b>	-	STD	STD	STD	STD	-	-
<b>LED FRONT FOG LAMPS</b>	-	-	-	-	-	STD	STD
<b>LED REAR COMBINATION LAMPS</b>	STD	STD	STD	STD	STD	STD	STD
<b>HEATED POWER SIDE-VIEW MIRRORS</b>	STD	-	-	-	-	-	-
<b>HEATED POWER SIDE-VIEW MIRRORS WITH INTEGRATED LED INDICATOR LAMPS</b>	-	-	-	STD	-	-	-

<b>HEATED AND POWER-FOLDING SIDE-VIEW MIRRORS WITH INTEGRATED LED INDICATOR LAMPS</b>	-	STD	STD	-	STD	STD	STD
<b>BODY-COLOUR SIDE-VIEW MIRRORS</b>	STD	STD	STD	STD	STD	STD	STD
<b>BODY-COLOUR DOOR HANDLES</b>	STD	STD	STD	STD	STD	STD	STD
<b>CHROME BELTLINE ACCENT</b>	-	-	STD	-	-	-	STD
<b>BLACK SIDE DOOR GARNISH</b>	-	-	-	-	-	STD	-
<b>VARIABLE INTERMITTENT WINDSHIELD WIPERS AND WASHER</b>	STD	STD	STD	STD	STD	STD	STD
<b>WINDSHIELD WIPER DE-ICER</b>	STD	STD	STD	STD	STD	STD	STD
<b>FLAT AERO-TYPE WIPERS</b>	STD	STD	STD	STD	STD	STD	STD
<b>BLACK WHEEL ARCH MOULDINGS</b>	STD	STD	STD	STD	STD	STD	STD
<b>SILVER PAINTED ROOF RAILS</b>	-	STD	STD	STD	STD	-	STD
<b>BLACK ROOF RAILS</b>	-	-	-	-	-	STD	-
<b>ROOF MOUNT ANTENNA (SHARK FIN TYPE)</b>	STD	STD	STD	STD	STD	STD	STD
<b>POWER GLASS SUNROOF WITH SUNSHADE</b>	-	STD	STD	-	STD	STD	STD
<b>REAR WINDOW DEFROSTER WITH TIMER AND INTERMITTENT WIPER WITH WASHER</b>	STD	STD	STD	STD	STD	STD	STD
<b>REAR PRIVACY GLASS</b>	STD	STD	STD	STD	STD	STD	STD
<b>REAR SPOILER</b>	-	STD	STD	-	STD	STD	STD
<b>"TOURING EDITION" BADGE</b>	-	STD	-	-	STD	-	-





<b>CAMBER HITCH MOUNTED 4 BIKE CARRIER</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>CAMBER HITCH MOUNTED 2 BIKE CARRIER</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>THULE SNOWPAK L SKI SNOWBOARD CARRIER</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC

**INTERIOR**

<b>HEATED FRONT SEATS</b>	STD	STD	STD	STD	STD	STD	STD
<b>6-WAY ADJUSTABLE DRIVER'S SEAT (SLIDING, RECLINING AND HEIGHT ADJUSTABLE)</b>	STD	STD	STD	STD	STD	STD	STD
<b>4-WAY ADJUSTABLE FRONT PASSENGER SEAT</b>	STD	STD	STD	STD	STD	STD	STD
<b>POWER DRIVER AND FRONT PASSENGER SEAT</b>	-	STD	STD	-	STD	STD	STD
<b>60/40 SPLIT FOLDING 2ND ROW SEAT (SLIDING WITH 3RD ROW)</b>	STD	STD	STD	STD	STD	STD	STD
<b>3RD ROW FOLD-FLAT SEAT</b>	-	STD	STD	STD	STD	STD	STD
<b>FRONT SEATBACK POCKET (PASSENGER SIDE)</b>	STD	STD	STD	STD	STD	STD	STD
<b>FRONT SEATBACK POCKET (DRIVER SIDE)</b>	-	STD	STD	-	-	-	STD
<b>FABRIC-APPOINTED SEATS WITH CONTRAST STITCHING</b>	STD	STD	STD	STD	STD	-	-
<b>ARTIFICIAL SUEDE APPOINTED SEATS WITH CONTRAST STITCHING</b>	-	STD	STD	-	STD	STD	-
<b>LEATHER-APPOINTED SEATS</b>	-	-	STD	-	-	-	STD
<b>BLACK HEADLINER</b>	-	-	-	-	-	STD	-







<b>SCUFF PLATES, 6 PC</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>SHIFT KNOB, ALUMINUM AND LEATHER</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>TONNEAU COVER, WITH POWER TAILGATE</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>TONNEAU COVER, WITHOUT POWER TAILGATE</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>CIGAR LIGHTER</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>LED FLOOR ILLUMINATION</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>LED SHIFT GATE ILLUMINATION</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>CARGO TECH CARGO CONTAINMENT SYSTEM</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC
<b>OUTLANDER CARGO LINER</b>	ACC	ACC	ACC	ACC	ACC	ACC	ACC

## COMFORT & CONVENIENCE

<b>DUAL-ZONE AUTOMATIC CLIMATE CONTROL</b>	STD	STD	STD	STD	STD	STD	STD
<b>MICRON AIR FILTRATION</b>	STD	STD	STD	STD	STD	STD	STD
<b>REAR HEATER AIR OUTLETS (BLACK OF FRONT CENTRE CONSOLE)</b>	STD	STD	STD	STD	STD	STD	STD
<b>BLUETOOTH® 2.0 HANDS-FREE CELLULAR PHONE INTERFACE WITH STREAMING AUDIO AND USB INPUT WITH VOICE CONTROL</b>	STD	STD	STD	STD	STD	STD	STD
<b>POWER DOOR LOCKS WITH REMOTE KEYLESS ENTRY</b>	STD	STD	STD	-	-	-	-
<b>POWER DOOR LOCKS WITH FAST-KEY KEYLESS ENTRY AND PUSH BUTTON START</b>	-	STD	STD	STD	STD	STD	STD





<b>TITANIUM GREY</b>	STD	STD	STD	STD	STD	-	STD
<b>STERLING SILVER</b>	STD	STD	STD	STD	STD	-	STD
<b>LABRADOR BLACK</b>	OPT	OPT	OPT	OPT	OPT	STD	OPT
<b>PEARL WHITE</b>	OPT	OPT	OPT	OPT	OPT	-	OPT

#### INTERIOR COLOURS

<b>BLACK FABRIC</b>	STD	-	-	STD	-	-	-
<b>BLACK ARTIFICIAL SUEDE</b>	-	STD	-	-	STD	STD	-
<b>BLACK LEATHER</b>	-	-	STD	-	-	-	STD

#### ENGINE

<b>DRIVETRAIN</b>	AWC	AWC	AWC	AWC	AWC	AWC	S-AWC
<b>ENGINE TYPE</b>	2.4L MIVEC I-4	2.4L MIVEC I-4	2.4L MIVEC I-4	3.0L MIVEC V-6	3.0L MIVEC V-6	3.0L MIVEC V-6	3.0L MIVEC V-6
<b>ENGINE CODE</b>	4J12	4J12	4J12	6B31	6B31	6B31	6B31
<b>VALVE TRAIN</b>	SOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	SOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	SOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	SOHC 24-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	SOHC 24-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	SOHC 24-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	SOHC 24-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)
<b>DISPLACEMENT (CC)</b>	2,360 cc	2,360 cc	2,360 cc	2,998 cc	2,998 cc	2,998 cc	2,998 cc
<b>BORE X STROKE (MM)</b>	88.0 x 97.0 mm	88.0 x 97.0 mm	88.0 x 97.0 mm	87.6 x 82.9 mm	87.6 x 82.9 mm	87.6 x 82.9 mm	87.6 x 82.9 mm
<b>COMPRESSION RATIO</b>	10.5:1	10.5:1	10.5:1	10.5:1	10.5:1	10.5:1	10.5:1
<b>HORSEPOWER @ RPM</b>	166 hp @ 6,000 rpm	166 hp @ 6,000 rpm	166 hp @ 6,000 rpm	224 hp @ 6,250 rpm	224 hp @ 6,250 rpm	224 hp @ 6,250 rpm	224 hp @ 6,250 rpm

<b>TORQUE @ RPM (LB.-FT.)</b>	162 lb.-ft. @ 4,200 rpm	162 lb.-ft. @ 4,200 rpm	162 lb.-ft. @ 4,200 rpm	215 lb.-ft. @ 3,750 rpm	215 lb.-ft. @ 3,750 rpm	215 lb.-ft. @ 3,750 rpm	215 lb.-ft. @ 3,750 rpm
<b>AIR INTAKE SYSTEM</b>	Conventional	Conventional	Conventional	Conventional	Conventional	Conventional	Conventional
<b>ENGINE BLOCK</b>	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
<b>CYLINDER HEADS</b>	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
<b>REDLINE RPM</b>	6,500 rpm	6,500 rpm	6,500 rpm	6,500 rpm	6,500 rpm	6,500 rpm	6,500 rpm
<b>FUEL SYSTEM</b>	MPI	MPI	MPI	MPI	MPI	MPI	MPI
<b>EMISSIONS</b>	TIER3 BIN 70	TIER3 BIN 70	TIER3 BIN 70	TIER3 BIN 70	TIER3 BIN 70	TIER3 BIN 70	TIER3 BIN 70
<b>RECOMMENDED FUEL</b>	Regular Unleaded	Regular Unleaded	Regular Unleaded	Premium Unleaded	Premium Unleaded	Premium Unleaded	Premium Unleaded
<b>ENGINE OIL TYPE</b>	0W-20	0W-20	0W-20	0W-20	0W-20	0W-20	0W-20
<b>ENGINE OIL CAPACITY (L/QT.)</b>	4.3 L / 4.5 qt.	4.3 L / 4.5 qt.	4.3 L / 4.5 qt.	4.0 L / 4.2 qt.	4.0 L / 4.2 qt.	4.0 L / 4.2 qt.	4.0 L / 4.2 qt.

## TRANSMISSION

<b>TYPE</b>	CVT	CVT	CVT	6AT	6AT	6AT	6AT
<b>CONTINUOUSLY VARIABLE TRANSMISSION (CVT) WITH 8-SPEED SPORT MODE</b>	STD	STD	STD	-	-	-	-
<b>6-SPEED SPORTTRONIC® AUTOMATIC TRANSMISSION WITH IDLE NEUTRAL LOGIC AND PADDLE SHIFTERS</b>	-	-	-	STD	STD	STD	STD
<b>PADDLE-SHIFTERS</b>	-	-	-	STD	STD	STD	STD
<b>CVT AUTOMATIC RATIOS</b>	2.631 ~ 0.378	2.631 ~ 0.378	2.631 ~ 0.378	-	-	-	-
<b>1ST</b>	-	-	-	4.199	4.199	4.199	4.199
<b>2ND</b>	-	-	-	2.405	2.405	2.405	2.405
<b>3RD</b>	-	-	-	1.583	1.583	1.583	1.583







<b>FRONT HEAD ROOM (WITHOUT SUNROOF) (MM/IN.)</b>	1,031 mm / 40.6 in.	1,031 mm / 40.6 in.	1,031 mm / 40.6 in.	1,031 mm / 40.6 in.	1,031 mm / 40.6 in.	1,031 mm / 40.6 in.	-
<b>FRONT SHOULDER ROOM (MM/IN.)</b>	1,432 mm / 56.4 in.	1,432 mm / 56.4 in.	1,432 mm / 56.4 in.	1,432 mm / 56.4 in.	1,432 mm / 56.4 in.	1,432 mm / 56.4 in.	1,432 mm / 56.4 in.
<b>FRONT HIP ROOM (MM/IN.)</b>	1,336 mm / 52.6 in.	1,336 mm / 52.6 in.	1,336 mm / 52.6 in.	1,336 mm / 52.6 in.	1,336 mm / 52.6 in.	1,336 mm / 52.6 in.	1,336 mm / 52.6 in.
<b>FRONT LEG ROOM (MM/IN.)</b>	1,039 mm / 40.9 in.	1,039 mm / 40.9 in.	1,039 mm / 40.9 in.	1,039 mm / 40.9 in.	1,039 mm / 40.9 in.	1,039 mm / 40.9 in.	1,039 mm / 40.9 in.
<b>REAR HEAD ROOM WITH SUNROOF (MM/IN.)</b>	968 mm / 38.1 in.	968 mm / 38.1 in.	968 mm / 38.1 in.	944 mm / 37.2 in.	944 mm / 37.2 in.	944 mm / 37.2 in.	944 mm / 37.2 in.
<b>REAR HEAD ROOM (WITHOUT SUNROOF) (MM/IN.)</b>	973 mm / 38.3 in.	973 mm / 38.3 in.	973 mm / 38.3 in.	973 mm / 38.3 in.	973 mm / 38.3 in.	973 mm / 38.3 in.	-
<b>REAR SHOULDER ROOM (MM/IN.)</b>	1,423 mm / 56.0 in.	1,423 mm / 56.0 in.	1,423 mm / 56.0 in.	1,423 mm / 56.0 in.	1,423 mm / 56.0 in.	1,423 mm / 56.0 in.	1,423 mm / 56.0 in.
<b>REAR HIP ROOM (MM/IN.)</b>	1,318 mm / 51.9 in.	1,318 mm / 51.9 in.	1,318 mm / 51.9 in.	1,318 mm / 51.9 in.	1,318 mm / 51.9 in.	1,318 mm / 51.9 in.	1,318 mm / 51.9 in.
<b>REAR LEG ROOM (MM/IN.)</b>	982 mm / 38.7 in.	982 mm / 38.7 in.	982 mm / 38.7 in.	947 mm / 37.3 in.	947 mm / 37.3 in.	947 mm / 37.3 in.	947 mm / 37.3 in.
<b>3RD ROW HEAD ROOM (MM/IN.)</b>	-	908 mm / 35.7 in.	908 mm / 35.7 in.	908 mm / 35.7 in.	908 mm / 35.7 in.	908 mm / 35.7 in.	908 mm / 35.7 in.
<b>3RD ROW SHOULDER ROOM (MM/IN.)</b>	-	1,279 mm / 50.4 in.	1,279 mm / 50.4 in.	1,279 mm / 50.4 in.	1,279 mm / 50.4 in.	1,279 mm / 50.4 in.	1,279 mm / 50.4 in.
<b>3RD ROW HIP ROOM (MM/IN.)</b>	-	1,001 mm / 39.4 in.	1,001 mm / 39.4 in.	1,001 mm / 39.4 in.	1,001 mm / 39.4 in.	1,001 mm / 39.4 in.	1,001 mm / 39.4 in.
<b>3RD ROW LEG ROOM (MM/IN.)</b>	-	715 mm / 28.2 in.	715 mm / 28.2 in.	715 mm / 28.2 in.	715 mm / 28.2 in.	715 mm / 28.2 in.	715 mm / 28.2 in.

## WEIGHTS

<b>GVWR (KG/LBS.)</b>	2,205 kg / 4,861 lbs.	2,205 kg / 4,861 lbs.	2,205 kg / 4,861 lbs.	2,280 kg / 5,027 lbs.	2,280 kg / 5,027 lbs.	2,280 kg / 5,027 lbs.	2,280 kg / 5,027 lbs.
<b>CURB WEIGHT (KG/LBS.)</b>	1,535 kg / 3,384 lbs.	1,565 kg / 3,450 lbs.	1,565 kg / 3,450 lbs.	1,600 kg / 3,527 lbs.	1,600 kg / 3,527 lbs.	1,600 kg / 3,527 lbs.	1,635kg / 3,604 lbs.



**ROADSIDE**

5 years /  
unlimited kms

5 years /  
unlimited kms

5 years /  
unlimited kms

5 years /  
unlimited kms

5 years /  
unlimited kms

5 years /  
unlimited kms

5 years /  
unlimited kms