

	ES MT	ES CVT	SE CVT	GT CVT
<b>SAFETY</b>				
<b>DUAL FRONT AIRBAGS</b>	STD	STD	STD	STD
<b>SIDE-IMPACT CURTAIN AIRBAGS (FRONT AND REAR)</b>	STD	STD	STD	STD
<b>FRONT SEAT-MOUNTED SIDE-IMPACT AIRBAGS</b>	STD	STD	STD	STD
<b>DRIVER'S KNEE AIRBAG</b>	STD	STD	STD	STD
<b>ANTI-LOCK BRAKING SYSTEM (ABS)</b>	STD	STD	STD	STD
<b>ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD)</b>	STD	STD	STD	STD
<b>ACTIVE STABILITY CONTROL (ASC)</b>	STD	STD	STD	STD
<b>TRACTION CONTROL LOGIC (TCL)</b>	STD	STD	STD	STD
<b>BRAKE OVERRIDE SYSTEM (BOS)</b>	STD	STD	STD	STD
<b>BRAKE ASSIST SYSTEM (BAS)</b>	STD	STD	STD	STD
<b>ANTI-THEFT ENGINE IMMOBILIZER</b>	STD	STD	STD	STD

LATCH SYSTEM (LOWER ANCHORS AND TETHERS FOR CHILD RESTRAINT SEATS)	STD	STD	STD	STD
REAR DOOR CHILD SAFETY LOCKS	STD	STD	STD	STD
3-POINT SEATBELTS FOR ALL SEATING POSITIONS	STD	STD	STD	STD
HEIGHT ADJUSTABLE FRONT SEATBELTS	STD	STD	STD	STD
FRONT SEATBELT PRETENSIONERS WITH FORCE LIMITERS	STD	STD	STD	STD
HEIGHT ADJUSTABLE FRONT HEAD RESTRAINTS	STD	STD	STD	STD
RISE BODY CONSTRUCTION	STD	STD	STD	STD
REAR CENTRE HIGH MOUNT STOP LAMP	STD	STD	STD	STD
DAYTIME RUNNING LAMPS	STD	STD	STD	STD
HILL START ASSIST	STD	STD	STD	STD
<b>PERFORMANCE</b>				
1.2 L DOHC MIVEC 3 CYLINDER ENGINE	STD	STD	STD	STD

<b>5-SPEED MANUAL TRANSMISSION</b>	STD	-	-	-
<b>CONTINUOUSLY VARIABLE TRANSMISSION (CVT)</b>	-	STD	STD	STD
<b>FRONT MACPHERSON STRUT AND REAR TORSION BEAM SUSPENSION</b>	STD	STD	STD	STD
<b>FRONT STABILIZER BAR</b>	STD	STD	STD	STD
<b>VENTILATED FRONT DISC AND REAR DRUM BRAKES</b>	STD	STD	STD	STD
<b>ELECTRIC POWER-ASSISTED RACK AND PINION STEERING</b>	STD	STD	STD	STD
<b>EXTERIOR</b>				
<b>14" STEEL WHEELS WITH WHEELCOVERS</b>	STD	STD	STD	-
<b>15" ALLOY WHEELS</b>	-	-	-	STD
<b>P165/65 R14 ALL-SEASON TIRES</b>	STD	STD	STD	-
<b>P175/55 R15 ALL-SEASON TIRES</b>	-	-	-	STD
<b>SPACE SAVER TEMPORARY TIRE</b>	STD	STD	STD	STD

<b>AUTO-OFF HALOGEN HEADLAMPS</b>	STD	STD	STD	-
<b>AUTO-OFF HIGH INTENSITY DISCHARGE (HID) HEADLAMPS</b>	-	-	-	STD
<b>FRONT FOG LAMPS</b>	-	-	-	STD
<b>POWER SIDE-VIEW MIRRORS</b>	STD	STD	STD	-
<b>HEATED POWER SIDE-VIEW MIRRORS WITH INTEGRATED TURN SIGNAL LAMP</b>	-	-	-	STD
<b>BODY-COLOUR SIDE-VIEW MIRRORS AND DOOR HANDLES</b>	STD	STD	STD	STD
<b>TURN SIGNAL ON FENDER</b>	STD	STD	STD	-
<b>VARIABLE INTERMITTENT WINDSHIELD WIPERS AND WASHER</b>	STD	STD	STD	STD
<b>ROOF MOUNT ANTENNA</b>	STD	STD	STD	STD
<b>REAR WINDOW DEFROSTER WITH TIMER, WIPER AND WASHER</b>	STD	STD	STD	STD
<b>LED REAR COMBINATION LAMPS</b>	STD	STD	STD	STD
<b>REAR SPOILER</b>	STD	STD	STD	STD

<b>CHROME PLATED HEADLAMP GARNISH</b>	ACC	ACC	ACC	ACC
<b>CHROME PLATED TAILGATE GARNISH</b>	ACC	ACC	ACC	ACC
<b>MUDGUARDS (REAR)</b>	ACC	ACC	ACC	ACC
<b>PRORIDE XT BIKE CARRIER ROOF MOUNT</b>	ACC	ACC	ACC	ACC
<b>THULE SNOWPAK L SKI SNOWBOARD CARRIER</b>	ACC	ACC	ACC	ACC
<b>THULE COMPASS KAYAK AND SUP CARRIER</b>	ACC	ACC	ACC	ACC

## INTERIOR

<b>HEATED FRONT SEATS</b>	-	-	-	STD
<b>4-WAY ADJUSTABLE DRIVER'S SEAT (SLIDING AND RECLINING)</b>	STD	STD	STD	-
<b>INTEGRATED DRIVER'S SEAT ARMREST</b>	-	-	-	STD
<b>6-WAY ADJUSTABLE DRIVER'S SEAT (SLIDING, RECLINING AND HEIGHT ADJUSTABLE)</b>	-	-	-	STD

<b>4-WAY ADJUSTABLE FRONT PASSENGER SEAT</b>	STD	STD	STD	STD
<b>60/40 SPLIT FOLDING REAR SEAT</b>	STD	STD	STD	STD
<b>FABRIC- APPOINTED SEATS</b>	STD	STD	STD	-
<b>PREMIUM FABRIC- APPOINTED SEATS WITH CONTRAST STITCHING</b>	-	-	-	STD
<b>DRIVER AND FRONT PASSENGER SUN VISORS WITH DRIVER'S SIDE VANITY MIRROR</b>	STD	STD	STD	STD
<b>CARGO LAMP</b>	STD	STD	STD	STD
<b>RETRACTABLE ASSIST GRIPS (2)</b>	STD	STD	STD	STD
<b>12V ACCESSORY OUTLET (1)</b>	STD	STD	STD	STD
<b>FLOOR CENTRE CONSOLE WITH CUP HOLDERS</b>	STD	STD	STD	STD
<b>DOOR TRIM POCKET WITH INTEGRATED BOTTLE HOLDERS (2)</b>	STD	STD	STD	STD
<b>URETHANE STEERING WHEEL</b>	STD	STD	STD	-

<b>LEATHER-WRAPPED STEERING WHEEL</b>	-	-	-	STD
<b>URETHANE GEAR SHIFT KNOB</b>	STD	STD	STD	-
<b>LEATHER-WRAPPED GEAR SHIFT KNOB</b>	-	-	-	STD
<b>URETHANE PARKING BRAKE LEVER WITH CHROME BUTTON</b>	STD	STD	STD	STD
<b>METER WITH SILVER PAINTED ACCENT</b>	-	-	-	STD
<b>GLOSS BLACK INSTRUMENT PANEL</b>	STD	STD	STD	-
<b>GLOSS BLACK INSTRUMENT PANEL AND FRONT DOOR ACCENTS</b>	-	-	-	STD
<b>BLACK INTERIOR DOOR HANDLES</b>	STD	STD	STD	-
<b>CHROME FRONT AND BLACK REAR INTERIOR DOOR HANDLES</b>	-	-	-	STD
<b>FLOOR MATS</b>	STD	STD	STD	STD
<b>CARGO MAT</b>	ACC	ACC	ACC	ACC
<b>CARGO NET</b>	ACC	ACC	ACC	ACC
<b>CENTER CONSOLE ILLUMINATION KIT BLUE LED</b>	ACC	ACC	ACC	ACC

<b>FLOOR ILLUMINATION, BLUE LED</b>	ACC	ACC	ACC	ACC
<b>LUGGAGE TRAY</b>	ACC	ACC	ACC	ACC
<b>ALL-SEASON FLOOR GUARDS</b>	ACC	ACC	ACC	ACC
<b>COMFORT &amp; CONVENIENCE</b>				
<b>AUTOMATIC CLIMATE CONTROL</b>	STD	STD	STD	STD
<b>MICRON AIR FILTRATION</b>	STD	STD	STD	STD
<b>REAR HEATER FLOOR DUCTS</b>	STD	STD	STD	STD
<b>BLUETOOTH® CELLULAR PHONE INTERFACE</b>	STD	STD	STD	STD
<b>USB INPUT</b>	STD	STD	STD	STD
<b>POWER DOOR LOCKS WITH REMOTE KEYLESS ENTRY AND PANIC ALARM</b>	-	-	STD	-
<b>FAST-KEY KEYLESS ENTRY WITH PUSH-BUTTON START AND PANIC ALARM</b>	-	-	-	STD
<b>POWER FRONT WINDOWS WITH AUTO-DOWN DRIVER'S WINDOW</b>	STD	STD	-	-



<b>POWER WINDOWS WITH AUTO-UP AND DOWN DRIVER'S WINDOW</b>	-	-	STD	STD
<b>CRUISE CONTROL WITH STEERING WHEEL-MOUNTED CONTROLS</b>	-	-	STD	STD
<b>AM/FM DISPLAY AUDIO</b>	STD	STD	-	-
<b>6.5" SMARTPHONE LINK DISPLAY AUDIO WITH ANDROID AUTO™ AND APPLE CARPLAY</b>	-	-	STD	STD
<b>4 SPEAKERS</b>	STD	STD	STD	STD
<b>REARVIEW CAMERA</b>	STD	STD	STD	STD
<b>STEERING WHEEL-MOUNTED AUDIO CONTROLS</b>	STD	STD	STD	STD
<b>TILT AND HEIGHT ADJUSTABLE STEERING WHEEL</b>	STD	STD	STD	STD
<b>SEMI HIGH-CONTRAST SPEEDOMETER AND TACHOMETER</b>	-	-	-	STD

<b>MULTI- INFORMATION DISPLAY (TRIP METER, ODOMETER, AVERAGE FUEL CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, TRANSMISSION POSITION INDICATOR, WATER TEMPERATURE WARNING LAMP AND LOW FUEL WARNING)</b>	STD	STD	STD	STD
<b>"ECO" MODE INDICATOR (EQUIPPED ON CVT)</b>	-	STD	STD	STD
<b>SEATBELT REMINDER LAMP</b>	STD	STD	STD	STD
<b>REMOTE FUEL LID RELEASE</b>	STD	STD	STD	STD
<b>EXTERIOR COLOURS</b>				
<b>STARLIGHT SILVER</b>	STD	STD	STD	STD
<b>SUNRISE ORANGE</b>	STD	STD	STD	STD
<b>INFRARED</b>	STD	STD	STD	STD
<b>SAPPHIRE BLUE</b>	STD	STD	STD	STD
<b>TITANIUM GREY</b>	STD	STD	STD	STD
<b>WINE RED</b>	OPT	OPT	OPT	OPT
<b>PEARL WHITE</b>	OPT	OPT	OPT	OPT
<b>MYSTIC BLACK</b>	OPT	OPT	OPT	OPT

**INTERIOR COLOURS**

<b>BLACK FABRIC</b>	STD	STD	STD	STD
---------------------	-----	-----	-----	-----

**ENGINE**

<b>ENGINE TYPE</b>	1.2L I3	1.2L I3	1.2L I3	1.2L I3
<b>ENGINE CODE</b>	3A92	3A92	3A92	3A92
<b>VALVE TRAIN</b>	DOHC, 12-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC, 12-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC, 12-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC, 12-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)
<b>DISPLACEMENT (CC/CU IN.)</b>	1,193 cc / 72.8 cu in.	1,193 cc / 72.8 cu in.	1,193 cc / 72.8 cu in.	1,193 cc / 72.8 cu in.
<b>BORE X STROKE (IN/MM.)</b>	75.0 x 90.0 mm / 3.0 x 3.5 in.	75.0 x 90.0 mm / 3.0 x 3.5 in.	75.0 x 90.0 mm / 3.0 x 3.5 in.	75.0 x 90.0 mm / 3.0 x 3.5 in.
<b>COMPRESSION RATIO</b>	10.5:1	10.5:1	10.5:1	10.5:1
<b>HORSEPOWER @ RPM (BHP)</b>	78 hp @ 6,000 rpm	78 hp @ 6,000 rpm	78 hp @ 6,000 rpm	78 hp @ 6,000 rpm
<b>TORQUE @ RPM (LB.-FT.)</b>	74 lb.-ft. @ 4,000 rpm	74 lb.-ft. @ 4,000 rpm	74 lb.-ft. @ 4,000 rpm	74 lb.-ft. @ 4,000 rpm
<b>ENGINE BLOCK</b>	Aluminum	Aluminum	Aluminum	Aluminum
<b>CYLINDER HEADS</b>	Aluminum	Aluminum	Aluminum	Aluminum
<b>REDLINE RPM</b>	6,500 rpm	6,500 rpm	6,500 rpm	6,500 rpm
<b>FUEL SYSTEM</b>	MPI	MPI	MPI	MPI
<b>EMISSIONS</b>	Tier 3 bin 70	Tier 3 bin 70	Tier 3 bin 70	Tier 3 bin 70
<b>RECOMMENDED FUEL</b>	Regular Unleaded, octane number 87 or RON 91	Regular Unleaded, octane number 87 or RON 91	Regular Unleaded, octane number 87 or RON 91	Regular Unleaded, octane number 87 or RON 91

**TRANSMISSION**

<b>TYPE</b>	5-speed manual	-	-	-
<b>MANUAL RATIOS</b>		-	-	-
<b>1ST</b>	3.545	-	-	-
<b>2ND</b>	1.913	-	-	-
<b>3RD</b>	1.31	-	-	-
<b>4TH</b>	0.973	-	-	-
<b>5TH</b>	0.804	-	-	-
<b>REVERSE</b>	3.214	-	-	-
<b>FINAL DRIVE</b>	4.055	-	-	-
<b>TYPE</b>	-	CVT with INVECS-III	CVT with INVECS-III	CVT with INVECS-III
<b>CVT RATIOS</b>	-	Continuously variable between 4.007 - 0.550	Continuously variable between 4.007 - 0.550	Continuously variable between 4.007 - 0.550
<b>REVERSE</b>	-	3.771	3.771	3.771
<b>FINAL DRIVE</b>	-	3.757	3.757	3.757

**SUSPENSION**

<b>FRONT</b>	MacPherson Strut	MacPherson Strut	MacPherson Strut	MacPherson Strut
<b>REAR</b>	Torsion Beam	Torsion Beam	Torsion Beam	Torsion Beam

**EXTERIOR DIMENSIONS**

<b>WHEELBASE (MM/IN.)</b>	2,450 mm / 96.5 in.	2,450 mm / 96.5 in.	2,450 mm / 96.5 in.	2,450 mm / 96.5 in.
<b>LENGTH (MM/IN.)</b>	3,795 mm / 149.4 in.	3,795 mm / 149.4 in.	3,795 mm / 149.4 in.	3,795 mm / 149.4 in.

<b>WIDTH (MM/IN.)</b>	1,665 mm / 65.6 in.	1,665 mm / 65.6 in.	1,665 mm / 65.6 in.	1,665 mm / 65.6 in.
<b>HEIGHT (MM/IN.)</b>	1,510 mm / 59.4 in.	1,510 mm / 59.4 in.	1,510 mm / 59.4 in.	1,510 mm / 59.4 in.
<b>TRACK, FRONT (MM/IN.)</b>	1,430 mm / 56.3 in.	1,430 mm / 56.3 in.	1,430 mm / 56.3 in.	1,430 mm / 56.3 in.
<b>TRACK, REAR (MM/IN.)</b>	1,415 mm / 55.7 in.	1,415 mm / 55.7 in.	1,415 mm / 55.7 in.	1,415 mm / 55.7 in.
<b>MIN. GROUND CLEARANCE (MM/IN.)</b>	160 mm / 6.3 in.	160 mm / 6.3 in.	160 mm / 6.3 in.	160 mm / 6.3 in.

#### INTERIOR DIMENSIONS

<b>PASSENGER SEATING CAPACITY</b>	5	5	5	5
<b>INTERIOR VOLUME (L/CU. FT.)</b>	2,927 L / 103.3 cu ft.	2,927 L / 103.3 cu ft.	2,927 L / 103.3 cu ft.	2,927 L / 103.3 cu ft.
<b>PASSENGER VOLUME (L/CU. FT.)</b>	2,440 L / 86.1 cu ft.	2,440 L / 86.1 cu ft.	2,440 L / 86.1 cu ft.	2,440 L / 86.1 cu ft.
<b>CARGO VOLUME (L/CU. FT.) SEATS UP</b>	487 L / 17.2 cu ft.	487 L / 17.2 cu ft.	487 L / 17.2 cu ft.	487 L / 17.2 cu ft.
<b>CARGO VOLUME (L/CU. FT.) SEATS DOWN</b>	1,331 L / 47.0 cu ft.	1,331 L / 47.0 cu ft.	1,331 L / 47.0 cu ft.	1,331 L / 47.0 cu ft.

#### PASSENGER SPACE

<b>FRONT HEAD ROOM (MM/IN.)</b>	992 mm / 39.1 in.	992 mm / 39.1 in.	992 mm / 39.1 in.	992 mm / 39.1 in.
<b>FRONT SHOULDER ROOM (MM/IN.)</b>	1,314 mm / 51.7 in.	1,314 mm / 51.7 in.	1,314 mm / 51.7 in.	1,314 mm / 51.7 in.
<b>FRONT HIP ROOM (MM/IN.)</b>	1,240 mm / 48.8 in.	1,240 mm / 48.8 in.	1,240 mm / 48.8 in.	1,240 mm / 48.8 in.

<b>FRONT LEG ROOM (MM/IN.)</b>	1,058 mm / 41.7 in.	1,058 mm / 41.7 in.	1,058 mm / 41.7 in.	1,058 mm / 41.7 in.
<b>REAR HEAD ROOM (MM/IN.)</b>	947 mm / 37.3 in.	947 mm / 37.3 in.	947 mm / 37.3 in.	947 mm / 37.3 in.
<b>REAR SHOULDER ROOM (MM/IN.)</b>	1,296 mm / 51.0 in.	1,296 mm / 51.0 in.	1,296 mm / 51.0 in.	1,296 mm / 51.0 in.
<b>REAR HIP ROOM (MM/IN.)</b>	1,179 mm / 46.4 in.	1,179 mm / 46.4 in.	1,179 mm / 46.4 in.	1,179 mm / 46.4 in.
<b>REAR LEG ROOM (MM/IN.)</b>	864 mm / 34.0 in.	864 mm / 34.0 in.	864 mm / 34.0 in.	864 mm / 34.0 in.

## WEIGHTS

<b>GVWR - 5MT (KG/LBS)</b>	1,320 kg / 2,910 lbs	-	-	-
<b>GVWR - CVT (KG/LBS)</b>	-	1,370 kg / 3,020 lbs	1,370 kg / 3,020 lbs	1,370 kg / 3,020 lbs
<b>CURB WEIGHT - 5MT (KG/LBS)</b>	920 kg / 2,029 lbs	-	-	-
<b>CURB WEIGHT - CVT (KG/LBS)</b>	-	950 kg / 2,095 lbs	950 kg / 2,095 lbs	965 kg / 2,128 lbs

## STEERING

<b>TYPE</b>	Rack-and-pinion, Electric Power Assist	Rack-and-pinion, Electric Power Assist	Rack-and-pinion, Electric Power Assist	Rack-and-pinion, Electric Power Assist
<b>RATIO</b>	40.65 mm/rev	40.65 mm/rev	40.65 mm/rev	40.65 mm/rev
<b>TURN CIRCLE - CURB TO CURB (M/FT)</b>	9.2 m / 30.2 ft.	9.2 m / 30.2 ft.	9.2 m / 30.2 ft.	9.2 m / 30.2 ft.

## BRAKES

<b>FRONT BRAKE TYPE</b>	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
-------------------------	-----------------	-----------------	-----------------	-----------------

<b>ANTI-LOCK BRAKES</b>	4 sensor, 4 channel with EBD	4 sensor, 4 channel with EBD	4 sensor, 4 channel with EBD	4 sensor, 4 channel with EBD
-------------------------	------------------------------	------------------------------	------------------------------	------------------------------

### FUEL CAPACITY

<b>FUEL TANK CAPACITY (L/IMP. GAL.)</b>	35 L / 7.7 gal.	35 L / 7.7 gal.	35 L / 7.7 gal.	35 L / 7.7 gal.
-----------------------------------------	-----------------	-----------------	-----------------	-----------------

### ESTIMATED FUEL CONSUMPTION

<b>5MT - CITY (L/100 KM)</b>	7.1 L/100 km	-	-	-
<b>5MT - HIGHWAY (L/100 KM)</b>	5.8 L/100 km	-	-	-
<b>5MT - COMBINED (L/100 KM)</b>	6.5 L/100 km	-	-	-
<b>CVT - CITY (L/100 KM)</b>	-	6.6 L/100 km	6.6 L/100 km	6.6 L/100 km
<b>CVT - HIGHWAY (L/100 KM)</b>	-	5.6 L/100 km	5.6 L/100 km	5.6 L/100 km
<b>CVT - COMBINED (L/100 KM)</b>	-	6.2 L/100 km	6.2 L/100 km	6.2 L/100 km

### WHEELS & TIRES

<b>WHEEL TYPE</b>	Steel	Steel	Steel	Aluminum alloy
<b>WHEEL SIZE</b>	14 in.	14 in.	14 in.	15 in.
<b>TIRE SIZE</b>	P165/65R14	P165/65R14	P165/65R14	P175/55R15
<b>TIRE TYPE</b>	All-season	All-season	All-season	All-season
<b>SPARE TIRE</b>	T115/70D14	T115/70D14	T115/70D14	T115/70D14

### WARRANTIES

<b>BASIC</b>	5 years / 100,000 kilometers	5 years / 100,000 kilometers	5 years / 100,000 kilometers	5 years / 100,000 kilometers
<b>POWERTRAIN</b>	10 years / 160,000 kilometers	10 years / 160,000 kilometers	10 years / 160,000 kilometers	10 years / 160,000 kilometers
<b>ROADSIDE</b>	5 years / unlimited kilometers	5 years / unlimited kilometers	5 years / unlimited kilometers	5 years / unlimited kilometers