

2025 RVR

FEATURES Effective Date: 2025-02-21

Performance & Handling	ES FWD	ES AWC	SE	SEL	NOIR	GT
2.0 L 4 Cylinder Engine	S	S	-	-	-	-
2.4 L 4 Cylinder Engine	-	-	S	S	S	S
Continuously Variable Transmission (CVT)	S	S	S	S	S	S
Paddle Shifters	-	-	-	-	S	S
All-Wheel Control (AWC) with Drive Mode Selector	-	S	S	S	S	S
Front MacPherson Strut & Rear Multi-Link Suspension	S	S	S	S	S	S
Front & Rear Stabilizer Bar	S	S	S	S	S	S
Ventilated Front Disc & Solid Rear Disc Brakes	S	S	S	S	S	S
Electric Power-Assisted Rack & Pinion Steering	S	S	S	S	S	S
Safety	ES FWD	ES AWC	SE	SEL	NOIR	GT
Dual Front Airbags	S	S	S	S	S	S
Side-Impact Curtain Airbags (1st & 2nd Row)	S	S	S	S	S	S
Front Seat-Mounted Side-Impact Airbags	S	S	S	S	S	S
Driver's Knee Airbag	S	S	S	S	S	S
Anti-Lock Braking System (ABS)	S	S	S	S	S	S
Electronic Brake-Force Distribution (EBD)	S	S	S	S	S	S
Active Stability Control (ASC)	S	S	S	S	S	S
Traction Control Logic (TCL)	S	S	S	S	S	S
Brake Override System (BOS)	S	S	S	S	S	S
Brake Assist System (BAS)	S	S	S	S	S	S
Anti-Theft Engine Immobilizer	S	S	S	S	S	S
Anti-Theft Security Alarm System	S	S	S	S	S	S
LATCH System (Lower Anchors & Tethers for Child Restraint Seats)	S	S	S	S	S	S
Rear Door Child Safety Locks	S	S	S	S	S	S
Rear Seat Occupant Alert	S	S	S	S	S	S
3-Point Seatbelts for All Seating Positions	S	S	S	S	S	S
Height Adjustable Front Seatbelts	S	S	S	S	S	S
Front Seatbelt Pretensioners with Force Limiters	S	S	S	S	S	S
Height Adjustable Front Head Restraints	S	S	S	S	S	S
RISE Body Construction	S	S	S	S	S	S
Tire Pressure Monitoring System (TPMS)	S	S	S	S	S	S
Hill Start Assist	S	S	S	S	S	S
Lane Departure Warning (LDW)	-	-	-	-	-	S
Forward Collision Mitigation (FCM)	-	-	-	-	-	S
Blind Spot Warning (BSW)	-	-	S	S	S	S
Rear Cross Traffic Alert (RCTA)	-	-	S	S	S	S

BOLD DENOTES NEW FOR THIS MODEL YEAR.

DECEDUCIE DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES. © 2025 MITSUBISHI MOTOR SALES OF CANADA, INC.



2025 RVR

FEATURES Effective Date: 2025-02-21

Exterior	ES FWD	ES AWC	SE	SEL	NOIR	GT
16" Steel Wheels with Wheelcovers	S	S	-	-	-	-
16" Alloy Wheels	-	-	S	-	-	-
18" Alloy Wheels	-	-	-	S	-	S
18" Black-Painted Alloy Wheels	-	-	-	-	S	-
Black Wheel Lug Nuts with Locks	-	-	-	-	S	-
P215/70 R16 All-Season Tires	S	S	S	-	-	-
P225/55 R18 All-Season Tires	-	-	-	S	S	S
Space Saver Temporary Tire	S	S	S	S	S	S
Front & Rear Material Black Skid Plate Styling	S	S	S	S	S	S
Material Black Front/Rear Bumper Lower Garnish & Side Sills	S	S	S	S	S	S
Black Wheel Arch Mouldings	S	S	S	S	S	S
Black Grille (Gloss)	-	-	-	-	S	-
Black and Silver Grille	S	S	S	S	-	-
Gloss Black and Satin Chrome Grille	-	-	-	-	-	S
LED Fog Lights	-	-	S	S	S	S
LED Daytime Running Lights	S	S	S	S	S	S
Auto LED Headlights	S	S	S	S	S	S
Auto LED High Beams	-	-	-	-	-	S
LED Rear Combination Lights	S	S	S	S	S	S
Turn Signal on Fender	S	S	-	-	-	-
Body-Colour Side-View Mirrors & Door Handles	S	S	S	S	-	S
Black Side-View Mirrors & Body-Colour Door Handles	-	-	-	-	S	-
Heated Power Side-View Mirrors	S	S	-	-	-	-
Heated Power Side-View Mirrors with Integrated Turn Signal Light	-	-	S	-	-	-
Heated & Power-Folding Side-View Mirrors with Integrated Turn Signal Light	-	-	-	S	S	S
Chrome Window Accent	-	-	-	-	-	S
Variable Intermittent Windshield Wipers & Washer	S	S	S	S	S	S
Rear Window Defroster with Intermittent Wiper	S	S	S	S	S	S
Rear Privacy Glass	-	-	S	S	S	S
Black Roof Rails	-	-	-	S	S	S
Panoramic Fixed Glass Sunroof with Sunshade	-	-	-	-	S	S
Roof Mount Antenna	S	S	S	S	S	S
Rear Spoiler	S	S	S	S	-	S
Large Rear Spoiler	_	-	-	-	S	-
"NOIR" Badge	-	-	-	-	S	-

BOLD DENOTES NEW FOR THIS MODEL YEAR.

DECEDUCTOR THE MODEL TEAL. TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES. © 2025 MITSUBISHI MOTOR SALES OF CANADA, INC.



2025 RVR

FEATURES Effective Date: 2025-02-21

Interior	ES FWD	ES AWC	SE	SEL	NOIR	GT
Heated Front Seats	S	S	S	S	S	S
6-Way Driver's Seat (Sliding, Reclining & Height Adjustable)	S	S	S	S	S	-
6-Way Power Driver's Seat (Sliding, Reclining & Height Adjustable)	-	-	-	-	-	S
4-Way Front Passenger Seat (Sliding & Reclining)	S	S	S	S	S	S
60/40 Split Folding Rear Seat	S	S	S	S	S	S
Fabric Seats	S	S	-	-	-	-
Premium Fabric Seats	-	-	S	-	-	-
Microsuede/Synthetic Leather Seats	-	-	-	S	S	-
Leather-Appointed Seats	-	-	-	-	-	S
Grey Interior Stitch Accents	-	-	S	S	-	S
Red Interior Stitch Accents	-	-	-	-	S	-
Black Headliner	-	-	-	-	S	S
Front Seatback Pocket (Driver Side)	S	S	S	S	S	S
Driver & Front Passenger Sun Visors with Vanity Mirrors	S	S	S	-	-	-
Driver & Front Passenger Sun Visors with Illuminated Vanity Mirrors	-	-	-	S	S	S
Front Map Lights	S	S	S	S	S	S
Cabin Light	S	S	S	S	-	-
Cargo Light	S	S	S	S	S	S
Auto-Dimming Rearview Mirror with Homelink®	-	-	-	-	-	S
12V Accessory Outlet	S	S	S	S	S	S
USB Input (X2)	S	S	S	S	S	S
Rear USB Input - Type A & Type C	-	-	S	S	S	S
Rear Centre Armrest with Cup Holders	S	S	S	S	S	S
Urethane Steering Wheel	S	S	-	-	-	-
Leather-Wrapped Steering Wheel	-	-	S	S	S	S
Urethane Gear Shift Knob	S	S	-	-	-	-
Leather-Wrapped Gear Shift Knob	-	-	S	S	S	S
Urethane Parking Brake Lever	S	S	S	S	-	S
Leather-Wrapped Parking Brake Lever	-	-	-	-	S	-
Retractable Assist Grips (4)	S	S	S	S	S	S
Black Interior Door Handles	S	S	-	-	-	-
Chrome Interior Door Handles	-	-	S	S	S	S
Door Trim Pocket with Integrated Bottle Holders (2)	S	S	S	S	S	S
Aluminum Pedals	-	-	-	-	S	-
Floor Mats	S	S	S	S	S	S
Cargo Tie-Down Utility Hooks (X4)	S	S	S	S	S	S
Cargo Cover	-	-	-	-	-	S

BOLD DENOTES NEW FOR THIS MODEL YEAR. TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES. © 2025 MITSUBISHI MOTOR SALES OF CANADA, INC.



2025 RVR

FEATURES Effective Date: 2025-02-21

Comfort & Convenience	ES FWD	ES AWC	SE	SEL	NOIR	GT
Automatic Climate Control	S	S	S	S	S	S
Micron Air Filtration	S	S	S	S	S	S
Bluetooth® Hands-Free Cellular Phone Interface	S	S	S	S	S	S
Push-Button Start	-	-	-	S	S	S
Power Door Locks with Remote Keyless Entry	S	S	S	-	-	-
FAST-Key Keyless Entry	-	-	-	S	S	S
Power Windows with Auto Driver's Window	S	S	S	S	S	S
Cruise Control	S	S	S	S	S	S
8" Smartphone Link Display Audio	S	S	S	S	S	S
4 Speakers	S	S	-	-	-	-
6 Speakers	-	-	S	S	S	-
Subwoofer	-	-	-	-	-	S
710-Watt Rockford Fosgate® Audio System with 9 Speakers	-	-	-	-	-	S
Android AutoTM & Apple CarPlay	S	S	S	S	S	S
SiriusXM [®] Satellite Radio with 3 Months Complimentary Service	S	S	S	S	S	S
Rearview Camera	S	S	S	S	S	S
Steering Wheel-Mounted Audio Controls	S	S	S	S	S	S
Tilt & Telescoping Steering Wheel	S	S	S	S	S	S
Heated Steering Wheel	-	-	-	S	S	S
High-Contrast Speedometer & Tachometer	S	S	S	S	S	S
Illuminated Ignition Switch (Not Available with FAST-Key)	S	S	S	-	-	-
Remote Fuel Lid Release	S	S	S	S	S	S
Rain-Sensing Windshield Wipers	S	S	S	S	S	S
Remote Starter	-	-	-	-	-	S

S = STANDARD O = FACTORY OPTIONAL P = FACTORY PACKAGE - = NOT AVAILABLE A = DEALER INSTALLED OPTION

BOLD DENOTES NEW FOR THIS MODEL YEAR.

DECEDUCTOR THE MODEL TEAM TO A THIS MODEL TEAM. TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES. © 2025 MITSUBISHI MOTOR SALES OF CANADA, INC.



2025 RVR

Т	ECHNICAL	AND ME	CHANI	CAL SP	ECIFICA	TIONS		
Engine	E	S	SE	SEL	NOIR	GT		
Engine Type	2.0L 4	2.0L 4 Cylinder		2.4L 4 Cylinde				
Engine Code	4E	811		12				
Valve Train	DOHC, 16	DOHC, 16-valve, Mitsubishi Innovative Valve-timing Electror						
Displacement (cc)	19	98		23	60			
Bore x Stroke (mm)	86.0	x 86.0		88.0 :	x 97.0	97.0		
Compression Ratio	10.	0:1		10.	.5:1			
Horsepower (HP @ RPM)	148 @	6000		168 @	6000			
Torque (lb-ft. @ RPM)	145 @	4200		167 @	4100			
Engine Block			Alum	inum				
Cylinder Heads			Alum	inum				
Redline (RPM)			65	00				
Fuel System		Multipoint Injection						
Emissions			Tier 3	bin 70				
Recommended Fuel		Regular Unleaded						
Engine Oil Type			OW	-20				
Drivetrain	ES FWD	ES AWC	SE	SEL	NOIR	GT		
Front Wheel Drive	FWD							
All-Wheel Drive				ieel Contro	l (AWC)			
Transmission	E	S	SE	SEL	NOIR	GT		
Туре		Contin	lously Vari	able Transr	mission			
Suspension	E	S	SE	SEL	NOIR	GT		
Front		MacPherson Strut, Stabilizer						
Rear		Multi-link, Stabilizer						
Steering	E	S	SE	SEL	NOIR	GT		
Туре		Telescopic, Electric Power Steering (EPS)						
Turn Circle – Curb to Curb (m / ft)		10.6 / 34.8						
Brakes	E	S	SE	SEL	NOIR	GT		
Front Brake Type		Ventilated disc						
Rear Brake Type			Solic	l disc				
Anti-Lock Brakes		4 se	ensor, 4 ch	annel with	EBD			

February 21, 2025 TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. MISCAN PROHIBTS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES.
2025 MITSUBISHI MOTOR SALES OF CANADA, INC.



2025 RVR

TECH	INICAL /		CHANI	CAL SP	ECIFIC	TIONS		
Wheels & Tires	E	S	SE	SEL	NOIR	GT		
Wheel Type	Steel			Aluminu				
Wheel Size	16 in.				18 in.			
Tire Size	P	215 / 70R1	6	P	225 / 55R18			
Tire Type	All-Season							
Spare Tire	T155 / 90D16							
Estimated Fuel Consumption	ES FWD	ES AWC	SE	SEL	NOIR	GT		
City/Highway/Combined (L / 100 km)	9.7 / 7.8 / 8.9	10.0 / 8.1 / 9.1			8.3 / 9.4			
Weights & Capacities	ES FWD	ES AWC	SE	SEL	NOIR	GT		
Fuel Tank Capacity (L / imp gal)	63 / 13.8			60 / 13.2				
Passenger Seating Capacity			5	5				
Passenger Volume (L / cu ft)		2761			2707	/ 95.6		
Cargo volume (L / cu ft)			614 / 21.7			569 / 20.1		
Cargo volume (behind front seat) (L / cu ft)		1402	/ 49.5		1382	/ 48.8		
Gross Vehicle Weight Rating (GVWR) (kg / lbs)			1970/	4343				
Curb Weight (kg / lbs)	1415 / 1480 / 1495 / 3120 3263				/ 3296			
Weight Distribution (% front/rear)	60 / 40			59 / 41				
Exterior Dimensions	E	S	SE	SEL	NOIR	GT		
Wheelbase (mm / in)			2670 /	105.1				
Length (mm / in)			4365 /	171.9				
Width (mm / in)			1810,	/ 71.3				
Height (mm / in)			1645,					
Track - Front (mm / in)		/ 60.0			/ 60.6			
Track - Rear (mm / in)	1525	/ 60.0			/ 60.6			
Min. Ground Clearance (mm / in)			215,	/ 8.5				
Interior Dimensions	E	S	SE	SEL	NOIR	GT		
Front Head Room (mm / in)			/ 39.4			′ 38.9		
Rear Head Room (mm / in)	963 / 37.9 934 / 36.8					36.8		
Front Shoulder Room (mm / in)	1427 / 56.2							
Rear Shoulder Room (mm / in)	1410 / 55.5							
Front Hip Room (mm / in)	1324 / 52.1							
Rear Hip Room (mm / in)	1310 / 51.6							
Front Leg Room (mm / in)	1056 / 41.6							
Rear Leg Room (mm / in)			921/					
Warranties	E	S	SE	SEL	NOIR	GT		
Basic		5 ye	ars or 100,	000 kilome	eters			
Powertrain		,	ears or 160	·				
Roadside	5 years or unlimited kilometers							

February 21, 2025

© 2025 MITSUBISHI MOTOR SALES OF CANADA, INC.

TECHNICAL DATA, FEATURES, OPTIONS AND OTHER EQUIPMENT ARE BASED ON THE LATEST INFORMATION AVAILABLE AT THE TIME OF RELEASE AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. MMSCAN PROHIBITS REPRODUCTION OR DISCLOSURE OF THIS INFORMATION TO THIRD PARTIES.